| 7=   | Application No.   | Applicant(s)   |
|--|---|--|
| Notice of Allowability   | 10/722,029  | KURTZ ET AL.   |
|  | Examiner  | Art Unit   |
|  | Jermaine Jenkins  | 2855   |
| The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313  | (OR REMAINS) CLOSED in this a<br>or other appropriate communication<br>IGHTS. This application is subject | opplication. If not included on will be mailed in due course. THIS |
| 1. $\boxtimes$ This communication is responsive to <u>orignal application file</u>   | ed on 11/25/2003 .  |  |
| 2. The allowed claim(s) is/are <u>1-8</u> .  |   |  |
| 3. The drawings filed on 28 April 2004 are accepted by the Examiner.   |   |  |
| <ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> |   |  |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.   |   |  |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.   |   |  |
| 6. CORRECTED DRAWINGS ( as "replacement sheets") mu  | st be submitted.  |  |
| (a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached   |   |  |
| 1)  hereto or 2)  to Paper No./Mail Date   |   |  |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of<br>Paper No./Mail Date  |   |  |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  |   |  |
| 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.  |   |  |
|  |   |  |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892)  | 5. Notice of Informa  | l Patent Application (PTO-152)                                     |
| 2.  Notice of Draftperson's Patent Drawing Review (PTO-948)  | 6.  ☐ Interview Summa<br>Paper No./Mail [   | ary (PTO-413),<br>Date   |
| 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/<br>Paper No./Mail Date 12252003  | 7. Examiner's Amer  | ndment/Comment   |
| 4. ☐ Examiner's Comment Regarding Requirement for Deposit  | 8. 🛛 Examiner's State   | ment of Reasons for Allowance                                      |
| of Biological Material   | 9. Other  |  |
|  |   |  |
|  |   |  |

Application/Control Number: 10/722,029

Art Unit: 2855

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1-8 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: The prior art does not disclose or suggest a pressure transducer having a remote transmitter positioned on the housing and coupled to the sensor to transmit a wireless signal indicative of the pressure when the transmitter is biased to operate, selectively operated means coupled and operative to apply operating bias to the sensor and transmitter automatically when the housing is secured to a device for pressure measurement.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- 3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
  - U.S. Patent 6,823,718 (Sandford et al) Single-Body Multiple Sensing Device
  - U.S. Patent 6,484,587 (Gul) Pressure Sensor
  - U.S. Patent 6,267,010 (Hatanaka et al) Integrated Sensor Device
  - U.S. Patent 6,176,138 (Barr et al) Electronic Pressure Sensor

Art Unit: 2855

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jermaine Jenkins whose telephone number is 571-272-2179. The examiner can normally be reached on Monday-Friday 8am-430pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Lefkowitz can be reached on 571-272-2180. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jermaine Jenkins A.U. 2855

William Oen Primary Examiner